NASA/SP—1998-7011/SUPPL474
September 21, 1998

AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY WITH INDEXES

National Aeronautics and
Space Administration
Langley Research Center
**Scientific and Technical
Information Program Office**

The NASA STI Program Office . . . in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.

- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.

- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.

- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and missions, often concerned with subjects having substantial public interest.

- TECHNICAL TRANSLATION. English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at ***http://www.sti.nasa.gov***

- E-mail your question via the Internet to help@sti.nasa.gov

- Fax your question to the NASA STI Help Desk at (301) 621-0134

- Telephone the NASA STI Help Desk at (301) 621-0390

- Write to:
  NASA STI Help Desk
  NASA Center for AeroSpace Information
  7121 Standard Drive
  Hanover, MD 21076-1320

Introduction

This supplemental issue of *Aerospace Medicine and Biology, A Continuing Bibliography with Indexes* (NASA/SP—1998-7011) lists reports, articles, and other documents recently announced in the NASA STI Database.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which humans are subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. Applied research receives the most emphasis, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the publication consists of a standard bibliographic citation accompanied, in most cases, by an abstract.

The NASA CASI price code table, addresses of organizations, and document availability information are included before the abstract section.

Two indexes—subject and author are included after the abstract section.

SCAN Goes Electronic!

If you have electronic mail or if you can access the Internet, you can view biweekly issues of *SCAN* from your desktop absolutely free!

Electronic SCAN takes advantage of computer technology to inform you of the latest worldwide, aerospace-related, scientific and technical information that has been published.

No more waiting while the paper copy is printed and mailed to you. You can view *Electronic SCAN* the same day it is released—up to 191 topics to browse at your leisure. When you locate a publication of interest, you can print the announcement. You can also go back to the *Electronic SCAN* home page and follow the ordering instructions to quickly receive the full document.

Start your access to *Electronic SCAN* today. Over 1,000 announcements of new reports, books, conference proceedings, journal articles...and more—available to your computer every two weeks.

Timely Flexible Complete FREE!

For Internet access to *E-SCAN*, use any of the following addresses:

http://www.sti.nasa.gov
ftp.sti.nasa.gov
gopher.sti.nasa.gov

To receive a free subscription, send e-mail for complete information about the service first. Enter **scan@sti.nasa.gov** on the address line. Leave the subject and message areas blank and send. You will receive a reply in minutes.

Then simply determine the SCAN topics you wish to receive and send a second e-mail to **listserve@sti.nasa.gov**. Leave the subject line blank and enter a subscribe command in the message area formatted as follows:

Subscribe <desired list> <Your name>

For additional information, e-mail a message to **help@sti.nasa.gov**.

Phone: (301) 621-0390

Fax: (301) 621-0134

Write: NASA STI Help Desk
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

Looking just for *Aerospace Medicine and Biology* reports?

Although hard copy distribution has been discontinued, you can still receive these vital announcements through your *E-SCAN* subscription. Just **subscribe SCAN-AEROMED** in the message area of your e-mail to **listserve@sti.nasa.gov**.

Table of Contents

Records are arranged in categories 51 through 55, the Life Sciences division of *STAR*. Selecting a category will link you to the collection of records cited in this issue pertaining to that category.

Indexes

Two indexes are available. You may use the find command under the tools menu while viewing the PDF file for direct match searching on any text string. You may also view the indexes provided, for searching on *NASA Thesaurus* subject terms and author names.

Selecting an index above will link you to that comprehensive listing.

Document Availability

Select **Availability Info** for important information about NASA Scientific and Technical Information (STI) Program Office products and services, including registration with the NASA Center for AeroSpace Information (CASI) for access to the NASA CASI TRS (Technical Report Server), and availability and pricing information for cited documents.

The New NASA Video Catalog is Here

Free!

To order your copy,
call the NASA STI Help Desk at
(301) 621-0390,
fax to
(301) 621-0134,
e-mail to
help@sti.nasa.gov,
or visit the NASA STI Program
homepage at
http://www.sti.nasa.gov

(Select STI Program Bibliographic Announcements)

Explore the Universe!

Document Availability Information

The mission of the NASA Scientific and Technical (STI) Program Office is to quickly, efficiently, and cost-effectively provide the NASA community with desktop access to STI produced by NASA and the world's aerospace industry and academia. In addition, we will provide the aerospace industry, academia, and the taxpayer access to the intellectual scientific and technical output and achievements of NASA.

Eligibility and Registration for NASA STI Products and Services

The NASA STI Program offers a wide variety of products and services to achieve its mission. Your affiliation with NASA determines the level and type of services provided by the NASA STI Program. To assure that appropriate level of services are provided, NASA STI users are requested to register at the NASA Center for AeroSpace Information (CASI). Please contact NASA CASI in one of the following ways:

E-mail:	help@sti.nasa.gov
Fax:	301-621-0134
Phone:	301-621-0390
Mail:	ATTN: Registration Services NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

Limited Reproducibility

In the database citations, a note of limited reproducibility appears if there are factors affecting the reproducibility of more than 20 percent of the document. These factors include faint or broken type, color photographs, black and white photographs, foldouts, dot matrix print, or some other factor that limits the reproducibility of the document. This notation also appears on the microfiche header.

NASA Patents and Patent Applications

Patents and patent applications owned by NASA are announced in the STI Database. Printed copies of patents (which are not microfiched) are available for purchase from the U.S. Patent and Trademark Office.

When ordering patents, the U.S. Patent Number should be used, and payment must be remitted in advance, by money order or check payable to the Commissioner of Patents and Trademarks. Prepaid purchase coupons for ordering are also available from the U.S. Patent and Trademark Office.

NASA patent application specifications are sold in both paper copy and microfiche by the NASA Center for AeroSpace Information (CASI). The document ID number should be used in ordering either paper copy or microfiche from CASI.

The patents and patent applications announced in the STI Database are owned by NASA and are available for royalty-free licensing. Requests for licensing terms and further information should be addressed to:

National Aeronautics and Space Administration
Associate General Counsel for Intellectual Property
Code GP
Washington, DC 20546-0001

Sources for Documents

One or more sources from which a document announced in the STI Database is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below, with an Addresses of Organizations list near the back of this section. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source.

Avail: NASA CASI. Sold by the NASA Center for AeroSpace Information. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code following the letters HC or MF in the citation. Current values are given in the NASA CASI Price Code Table near the end of this section.

Note on Ordering Documents: When ordering publications from NASA CASI, use the document ID number or other report number. It is also advisable to cite the title and other bibliographic identification.

Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy.

Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)

Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in Energy Research Abstracts. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center—Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.

Avail: ESDU. Pricing information on specific data, computer programs, and details on ESDU International topic categories can be obtained from ESDU International.

Avail: Fachinformationszentrum Karlsruhe. Gesellschaft für wissenschaftlich-technische Information mbH 76344 Eggenstein-Leopoldshafen, Germany.

Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, CA. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.

Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.

Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration (JBD-4), Public Documents Room (Room 1H23), Washington, DC 20546-0001, or public document rooms located at NASA installations, and the NASA Pasadena Office at the Jet Propulsion Laboratory.

Avail: NTIS. Sold by the National Technical Information Service. Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) are available. For information concerning this service, consult the NTIS Subscription Section, Springfield, VA 22161.

Avail: Univ. Microfilms. Documents so indicated are dissertations selected from Dissertation Abstracts and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.

Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of $1.50 each, postage free.

Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INlS) representative in their country, or by applying directly to the issuing organization.

Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed on the Addresses of Organizations page. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.

Addresses of Organizations

British Library Lending Division
Boston Spa, Wetherby, Yorkshire
England

Commissioner of Patents and Trademarks
U.S. Patent and Trademark Office
Washington, DC 20231

Department of Energy
Technical Information Center
P.O. Box 62
Oak Ridge, TN 37830

European Space Agency–
Information Retrieval Service ESRIN
Via Galileo Galilei
00044 Frascati (Rome) Italy

ESDU International
27 Corsham Street
London
N1 6UA
England

Fachinformationszentrum Karlsruhe
Gesellschaft für wissenschaftlich–technische
Information mbH
76344 Eggenstein–Leopoldshafen, Germany

Her Majesty's Stationery Office
P.O. Box 569, S.E. 1
London, England

NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

(NASA STI Lead Center)
National Aeronautics and Space Administration
Scientific and Technical Information Program Office
Langley Research Center – MS157
Hampton, VA 23681

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161

Pendragon House, Inc.
899 Broadway Avenue
Redwood City, CA 94063

Superintendent of Documents
U.S. Government Printing Office
Washington, DC 20402

University Microfilms
A Xerox Company
300 North Zeeb Road
Ann Arbor, MI 48106

University Microfilms, Ltd.
Tylers Green
London, England

U.S. Geological Survey Library National Center
MS 950
12201 Sunrise Valley Drive
Reston, VA 22092

U.S. Geological Survey Library
2255 North Gemini Drive
Flagstaff, AZ 86001

U.S. Geological Survey
345 Middlefield Road
Menlo Park, CA 94025

U.S. Geological Survey Library
Box 25046
Denver Federal Center, MS914
Denver, CO 80225

NASA CASI Price Code Table

(Effective July 1, 1998)

Code	U.S., Canada, & Mexico	Foreign
A01	$ 8.00	$ 16.00
A02	12.00	24.00
A03	23.00	46.00
A04	25.50	51.00
A05	27.00	54.00
A06	29.50	59.00
A07	33.00	66.00
A08	36.00	72.00
A09	41.00	82.00
A10	44.00	88.00
A11	47.00	94.00
A12	51.00	102.00
A13	54.00	108.00
A14	56.00	112.00
A15	58.00	116.00
A16	60.00	120.00
A17	62.00	124.00
A18	65.50	131.00
A19	67.50	135.00
A20	69.50	139.00
A21	71.50	143.00
A22	77.00	154.00
A23	79.00	158.00
A24	81.00	162.00
A25	83.00	166.00
A99	Contact NASA CASI	

Code	U.S., Canada, & Mexico	Foreign
E01	$101.00	$202.00
E02	109.50	219.00
E03	119.50	238.00
E04	128.50	257.00
E05	138.00	276.00
E06	146.50	293.00
E07	156.00	312.00
E08	165.50	331.00
E09	174.00	348.00
E10	183.50	367.00
E11	193.00	386.00
E12	201.00	402.00
E13	210.50	421.00
E14	220.00	440.00
E15	229.50	459.00
E16	238.00	476.00
E17	247.50	495.00
E18	257.00	514.00
E19	265.50	531.00
E20	275.00	550.00
E21	284.50	569.00
E22	293.00	586.00
E23	302.50	605.00
E24	312.00	624.00
E99	Contact NASA CASI	

Payment Options

All orders must be prepaid unless you are registered for invoicing or have a deposit account with the NASA CASI. Payment can be made by VISA, MasterCard, American Express, or Diner's Club credit card. Checks or money orders must be in U.S. currency and made payable to "NASA Center for AeroSpace Information." To register, please request a registration form through the NASA STI Help Desk at the numbers or addresses below.

Handling fee per item is $1.50 domestic delivery to any location in the United States and $9.00 foreign delivery to Canada, Mexico, and other foreign locations. Video orders incur an additional $2.00 handling fee per title.

The fee for shipping the safest and fastest way via Federal Express is in addition to the regular handling fee explained above—$5.00 domestic per item, $27.00 foreign for the first 1-3 items, $9.00 for each additional item.

Return Policy

The NASA Center for AeroSpace Information will replace or make full refund on items you have requested if we have made an error in your order, if the item is defective, or if it was received in damaged condition, and you contact CASI within 30 days of your original request.

NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320

E-mail: help@sti.nasa.gov
Fax: (301) 621-0134
Phone: (301) 621-0390

Rev. 7/98

Federal Depository Library Program

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 53 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 53 regional depositories. A list of the Federal Regional Depository Libraries, arranged alphabetically by state, appears at the very end of this section. These libraries are not sales outlets. A local library can contact a regional depository to help locate specific reports, or direct contact may be made by an individual.

Public Collection of NASA Documents

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in the STI Database. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents FIZ–Fachinformation Karlsruhe–Bibliographic Service, D-76344 Eggenstein-Leopoldshafen, Germany and TIB–Technische Informationsbibliothek, P.O. Box 60 80, D-30080 Hannover, Germany.

Submitting Documents

All users of this abstract service are urged to forward reports to be considered for announcement in the STI Database. This will aid NASA in its efforts to provide the fullest possible coverage of all scientific and technical publications that might support aeronautics and space research and development. If you have prepared relevant reports (other than those you will transmit to NASA, DOD, or DOE through the usual contract- or grant-reporting channels), please send them for consideration to:

ATTN: Acquisitions Specialist
NASA Center for AeroSpace Information
7121 Standard Drive
Hanover, MD 21076-1320.

Reprints of journal articles, book chapters, and conference papers are also welcome.

You may specify a particular source to be included in a report announcement if you wish; otherwise the report will be placed on a public sale at the NASA Center for AeroSpace Information. Copyrighted publications will be announced but not distributed or sold.

Federal Regional Depository Libraries

ALABAMA

AUBURN UNIV. AT MONTGOMERY LIBRARY
Documents Dept.
7300 University Dr.
Montgomery, AL 36117–3596
(205) 244–3650 Fax: (205) 244–0678

UNIV. OF ALABAMA
Amelia Gayle Gorgas Library
Govt. Documents
P.O. Box 870266
Tuscaloosa, AL 35487–0266
(205) 348–6046 Fax: (205) 348–0760

ARIZONA

DEPT. OF LIBRARY, ARCHIVES, AND PUBLIC RECORDS
Research Division
Third Floor, State Capitol
1700 West Washington
Phoenix, AZ 85007
(602) 542–3701 Fax: (602) 542–4400

ARKANSAS

ARKANSAS STATE LIBRARY
State Library Service Section
Documents Service Section
One Capitol Mall
Little Rock, AR 72201–1014
(501) 682–2053 Fax: (501) 682–1529

CALIFORNIA

CALIFORNIA STATE LIBRARY
Govt. Publications Section
P.O. Box 942837 – 914 Capitol Mall
Sacramento, CA 94337–0091
(916) 654–0069 Fax: (916) 654–0241

COLORADO

UNIV. OF COLORADO – BOULDER
Libraries – Govt. Publications
Campus Box 184
Boulder, CO 80309–0184
(303) 492–8834 Fax: (303) 492–1881

DENVER PUBLIC LIBRARY
Govt. Publications Dept. BSG
1357 Broadway
Denver, CO 80203–2165
(303) 640–8846 Fax: (303) 640–8817

CONNECTICUT

CONNECTICUT STATE LIBRARY
231 Capitol Avenue
Hartford, CT 06106
(203) 566–4971 Fax: (203) 566–3322

FLORIDA

UNIV. OF FLORIDA LIBRARIES
Documents Dept.
240 Library West
Gainesville, FL 32611–2048
(904) 392–0366 Fax: (904) 392–7251

GEORGIA

UNIV. OF GEORGIA LIBRARIES
Govt. Documents Dept.
Jackson Street
Athens, GA 30602–1645
(706) 542–8949 Fax: (706) 542–4144

HAWAII

UNIV. OF HAWAII
Hamilton Library
Govt. Documents Collection
2550 The Mall
Honolulu, HI 96822
(808) 948–8230 Fax: (808) 956–5968

IDAHO

UNIV. OF IDAHO LIBRARY
Documents Section
Rayburn Street
Moscow, ID 83844–2353
(208) 885–6344 Fax: (208) 885–6817

ILLINOIS

ILLINOIS STATE LIBRARY
Federal Documents Dept.
300 South Second Street
Springfield, IL 62701–1796
(217) 782–7596 Fax: (217) 782–6437

INDIANA

INDIANA STATE LIBRARY
Serials/Documents Section
140 North Senate Avenue
Indianapolis, IN 46204–2296
(317) 232–3679 Fax: (317) 232–3728

IOWA

UNIV. OF IOWA LIBRARIES
Govt. Publications
Washington & Madison Streets
Iowa City, IA 52242–1166
(319) 335–5926 Fax: (319) 335–5900

KANSAS

UNIV. OF KANSAS
Govt. Documents & Maps Library
6001 Malott Hall
Lawrence, KS 66045–2800
(913) 864–4660 Fax: (913) 864–3855

KENTUCKY

UNIV. OF KENTUCKY
King Library South
Govt. Publications/Maps Dept.
Patterson Drive
Lexington, KY 40506–0039
(606) 257–3139 Fax: (606) 257–3139

LOUISIANA

LOUISIANA STATE UNIV.
Middleton Library
Govt. Documents Dept.
Baton Rouge, LA 70803–3312
(504) 388–2570 Fax: (504) 388–6992

LOUISIANA TECHNICAL UNIV.
Prescott Memorial Library
Govt. Documents Dept.
Ruston, LA 71272–0046
(318) 257–4962 Fax: (318) 257–2447

MAINE

UNIV. OF MAINE
Raymond H. Fogler Library
Govt. Documents Dept.
Orono, ME 04469–5729
(207) 581–1673 Fax: (207) 581–1653

MARYLAND

UNIV. OF MARYLAND – COLLEGE PARK
McKeldin Library
Govt. Documents/Maps Unit
College Park, MD 20742
(301) 405–9165 Fax: (301) 314–9416

MASSACHUSETTS

BOSTON PUBLIC LIBRARY
Govt. Documents
666 Boylston Street
Boston, MA 02117–0286
(617) 536–5400, ext. 226
Fax: (617) 536–7758

MICHIGAN

DETROIT PUBLIC LIBRARY
5201 Woodward Avenue
Detroit, MI 48202–4093
(313) 833–1025 Fax: (313) 833–0156

LIBRARY OF MICHIGAN
Govt. Documents Unit
P.O. Box 30007
717 West Allegan Street
Lansing, MI 48909
(517) 373–1300 Fax: (517) 373–3381

MINNESOTA

UNIV. OF MINNESOTA
Govt. Publications
409 Wilson Library
309 19th Avenue South
Minneapolis, MN 55455
(612) 624–5073 Fax: (612) 626–9353

MISSISSIPPI

UNIV. OF MISSISSIPPI
J.D. Williams Library
106 Old Gym Bldg.
University, MS 38677
(601) 232–5857 Fax: (601) 232–7465

MISSOURI

UNIV. OF MISSOURI – COLUMBIA
106B Ellis Library
Govt. Documents Sect.
Columbia, MO 65201–5149
(314) 882–6733 Fax: (314) 882–8044

MONTANA

UNIV. OF MONTANA
Mansfield Library
Documents Division
Missoula, MT 59812–1195
(406) 243–6700 Fax: (406) 243–2060

NEBRASKA

UNIV. OF NEBRASKA – LINCOLN
D.L. Love Memorial Library
Lincoln, NE 68588–0410
(402) 472–2562 Fax: (402) 472–5131

NEVADA

THE UNIV. OF NEVADA LIBRARIES
Business and Govt. Information Center
Reno, NV 89557–0044
(702) 784–6579 Fax: (702) 784–1751

NEW JERSEY

NEWARK PUBLIC LIBRARY
Science Div. – Public Access
P.O. Box 630
Five Washington Street
Newark, NJ 07101–7812
(201) 733–7782 Fax: (201) 733–5648

NEW MEXICO

UNIV. OF NEW MEXICO
General Library
Govt. Information Dept.
Albuquerque, NM 87131–1466
(505) 277–5441 Fax: (505) 277–6019

NEW MEXICO STATE LIBRARY
325 Don Gaspar Avenue
Santa Fe, NM 87503
(505) 827–3824 Fax: (505) 827–3888

NEW YORK

NEW YORK STATE LIBRARY
Cultural Education Center
Documents/Gift & Exchange Section
Empire State Plaza
Albany, NY 12230–0001
(518) 474–5355 Fax: (518) 474–5786

NORTH CAROLINA

UNIV. OF NORTH CAROLINA – CHAPEL HILL
Walter Royal Davis Library
CB 3912, Reference Dept.
Chapel Hill, NC 27514–8890
(919) 962–1151 Fax: (919) 962–4451

NORTH DAKOTA

NORTH DAKOTA STATE UNIV. LIB.
Documents
P.O. Box 5599
Fargo, ND 58105–5599
(701) 237–8886 Fax: (701) 237–7138

UNIV. OF NORTH DAKOTA
Chester Fritz Library
University Station
P.O. Box 9000 – Centennial and University Avenue
Grand Forks, ND 58202–9000
(701) 777–4632 Fax: (701) 777–3319

OHIO

STATE LIBRARY OF OHIO
Documents Dept.
65 South Front Street
Columbus, OH 43215–4163
(614) 644–7051 Fax: (614) 752–9178

OKLAHOMA

OKLAHOMA DEPT. OF LIBRARIES
U.S. Govt. Information Division
200 Northeast 18th Street
Oklahoma City, OK 73105–3298
(405) 521–2502, ext. 253
Fax: (405) 525–7804

OKLAHOMA STATE UNIV.
Edmon Low Library
Stillwater, OK 74078–0375
(405) 744–6546 Fax: (405) 744–5183

OREGON

PORTLAND STATE UNIV.
Branford P. Millar Library
934 Southwest Harrison
Portland, OR 97207–1151
(503) 725–4123 Fax: (503) 725–4524

PENNSYLVANIA

STATE LIBRARY OF PENN.
Govt. Publications Section
116 Walnut & Commonwealth Ave.
Harrisburg, PA 17105–1601
(717) 787–3752 Fax: (717) 783–2070

SOUTH CAROLINA

CLEMSON UNIV.
Robert Muldrow Cooper Library
Public Documents Unit
P.O. Box 343001
Clemson, SC 29634–3001
(803) 656–5174 Fax: (803) 656–3025

UNIV. OF SOUTH CAROLINA
Thomas Cooper Library
Green and Sumter Streets
Columbia, SC 29208
(803) 777–4841 Fax: (803) 777–9503

TENNESSEE

UNIV. OF MEMPHIS LIBRARIES
Govt. Publications Dept.
Memphis, TN 38152–0001
(901) 678–2206 Fax: (901) 678–2511

TEXAS

TEXAS STATE LIBRARY
United States Documents
P.O. Box 12927 – 1201 Brazos
Austin, TX 78701–0001
(512) 463–5455 Fax: (512) 463–5436

TEXAS TECH. UNIV. LIBRARIES
Documents Dept.
Lubbock, TX 79409–0002
(806) 742–2282 Fax: (806) 742–1920

UTAH

UTAH STATE UNIV.
Merrill Library Documents Dept.
Logan, UT 84322–3000
(801) 797–2678 Fax: (801) 797–2677

VIRGINIA

UNIV. OF VIRGINIA
Alderman Library
Govt. Documents
University Ave. & McCormick Rd.
Charlottesville, VA 22903–2498
(804) 824–3133 Fax: (804) 924–4337

WASHINGTON

WASHINGTON STATE LIBRARY
Govt. Publications
P.O. Box 42478
16th and Water Streets
Olympia, WA 98504–2478
(206) 753–4027 Fax: (206) 586–7575

WEST VIRGINIA

WEST VIRGINIA UNIV. LIBRARY
Govt. Documents Section
P.O. Box 6069 – 1549 University Ave.
Morgantown, WV 26506–6069
(304) 293–3051 Fax: (304) 293–6638

WISCONSIN

ST. HIST. SOC. OF WISCONSIN LIBRARY
Govt. Publication Section
816 State Street
Madison, WI 53706
(608) 264–6525 Fax: (608) 264–6520

MILWAUKEE PUBLIC LIBRARY
Documents Division
814 West Wisconsin Avenue
Milwaukee, WI 53233
(414) 286–3073 Fax: (414) 286–8074

Typical Report Citation and Abstract

❶ **19970001126** NASA Langley Research Center, Hampton, VA USA
❷ **Water Tunnel Flow Visualization Study Through Poststall of 12 Novel Planform Shapes**
❸ Gatlin, Gregory M., NASA Langley Research Center, USA Neuhart, Dan H., Lockheed Engineering and Sciences Co., USA;
❹ Mar. 1996; 130p; In English
❺ Contract(s)/Grant(s): RTOP 505-68-70-04
❻ Report No(s): NASA-TM-4663; NAS 1.15:4663; L-17418; No Copyright; Avail: CASI; A07, Hardcopy; A02, Microfiche
❼ To determine the flow field characteristics of 12 planform geometries, a flow visualization investigation was conducted in the Langley 16- by 24-Inch Water Tunnel. Concepts studied included flat plate representations of diamond wings, twin bodies, double wings, cutout wing configurations, and serrated forebodies. The off-surface flow patterns were identified by injecting colored dyes from the model surface into the free-stream flow. These dyes generally were injected so that the localized vortical flow patterns were visualized. Photographs were obtained for angles of attack ranging from 10’ to 50’, and all investigations were conducted at a test section speed of 0.25 ft per sec. Results from the investigation indicate that the formation of strong vortices on highly swept forebodies can improve poststall lift characteristics; however, the asymmetric bursting of these vortices could produce substantial control problems. A wing cutout was found to significantly alter the position of the forebody vortex on the wing by shifting the vortex inboard. Serrated forebodies were found to effectively generate multiple vortices over the configuration. Vortices from 65’ swept forebody serrations tended to roll together, while vortices from 40’ swept serrations were more effective in generating additional lift caused by their more independent nature.
❽ Author
❾ *Water Tunnel Tests; Flow Visualization; Flow Distribution; Free Flow; Planforms; Wing Profiles; Aerodynamic Configurations*

Key

1. Document ID Number; Corporate Source
2. Title
3. Author(s) and Affiliation(s)
4. Publication Date
5. Contract/Grant Number(s)
6. Report Number(s); Availability and Price Codes
7. Abstract
8. Abstract Author
9. Subject Terms

AEROSPACE MEDICINE AND BIOLOGY

A Continuing Bibliography (Suppl. 474)

SEPTEMBER 21, 1998

51
LIFE SCIENCES (GENERAL)

19980206467 NASA Marshall Space Flight Center, Huntsville, AL USA
Animal Enclosure Module (AEM)
Life and Microgravity Spacelab (LMS); Feb. 1998, pp. 337-360; In English; Also announced as 19980206462; No Copyright; Avail: CASI; A03, Hardcopy; A06, Microfiche

The primary objective of this research project is to test the hypothesis that corticosteroids contribute to the adverse skeletal effects of space flight. To achieve this objective, serum corticosteroids, which are known to increase during space flight, must be maintained at normal physiologic levels in flight rats by a combination of adrenalectomy and corticosteroid supplementation via implanted hormone pellets. Bone analyses in these animals will then be compared to those of intact flight rats that, based on past experience, will undergo corticosteroid excess and bone loss during space flight. The results will reveal whether maintaining serum corticosteroids at physiologic levels in flight rats affects the skeletal abnormalities that normally develop during space flight. A positive response to this question would indicate that the bone loss and decreased bone formation associated with space flight are mediated, at least in part, by corticosteroid excess.
Author
Bone Demineralization; Musculoskeletal System; Corticosteroids; Microgravity; Gravitational Effects; Spaceborne Experiments; Physiological Responses

19980206470 NASA Marshall Space Flight Center, Huntsville, AL USA
Space Tissue Loss Configuration B (STL-B)
Life and Microgravity Spacelab (LMS); Feb. 1998, pp. 607-619; In English; Also announced as 19980206462; No Copyright; Avail: CASI; A03, Hardcopy; A06, Microfiche

The goal of these experiments was to determine the effect of microgravity on the early development of the fish medaka. There were two objectives for this flight series. The primary objective was to assess the effects of microgravity on different stages of development and to ascertain whether the relevant developmental questions can be addressed at the gross morphological level or if the issues involve more subtle questions about regulation at the molecular and cellular levels. The secondary objective was the assessment of the utility of flight hardware with the capabilities to perform embryological studies. We have been able to take advantage of the flight testing phase of the STL-B hardware to also study the effects of microgravity on the early development of the fish, Medaka. Our initial studies involved monitoring the early Medaka development and raising flight embryos for breeding. Images of the developing embryos were collected either via video which was either taken by the astronauts or broadcast to Earth. Sample video images were digitized and stored on a hard drive resident within the on-board STL-B unit. Embryos were fixed at specific intervals, returned to Earth and are being analyzed for the timing and location of molecular events associated with controlling the morphological pattern for the onset of adult structures.
Author
Microgravity; Gravitational Effects; Spaceborne Experiments; Fishes; Hardware; Space Flight; Embryos

19980206724 Harvard Univ., Cambridge, MA USA
Unraveling photosystems ***Final Report***
[1997]; 3p; In English
Contract(s)/Grant(s): DE-FG02-87ER-13743
Report No.(s): DOE/ER/13743-T1; DE97-009422; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Hardcopy, Microfiche

This report highlights four main points. (1) A residue substitution in phosphoribulokinase of Synechocystis PCC 6803 renders the mutant light-sensitive. The authors isolated a light-sensitive mutant (BRLS) of the photosynthetic cyanobacterium Synechocystis 6803 that does not survive exposure to bright light; 70% of BRLS cells die upon exposure to light of greater than 3000 lux for 2 hr. (2) Excitation energy transfer from phycocyanin to chlorophyll in an apcA-defective mutant of Synechocystis sp. PCC 6803. A greenish mutant of the normally bule-green cyanobacterium Synechocystis sp. PC 6803, designated UV6p, was isolated and characterized. UV6p possesses functional photosystems I and II but lacks normal light harvesting phycobilisomes because allophycocyanin is absent and core-specific linker proteins are almost entirely absent. (3) Deletion of the psbG1 gene of the cyanobacterium Synechocystis sp. PCC 6803 leads to the activation of the cryptic psbG2 gene. The genes psbG1 and psbG2 in cyanobacterium Synechocystis sp. PCC 6803 are homologous. The psbG1 gene is located on the chromosome and is part of the ndhC-psbG1-ORF157 operon, while psbG2 is located on a plasmid and is not flanked by equivalent ndhC or ORF157 genes. (4) Deletion of the structural gene for the NADH-dehydrogenase subunit 4 of Synechocystis 6803 alters respiratory properties. Chloroplasts and cyanobacteria contain genes encoding polypeptides homologous to some subunits of the mitochondrial respiratory NADH-ubiquinol oxidoreductase complex (NADH dehydrogenase). Nothing is known of the role of the NADH dehydrogenase complex in photosynthesis, respiration, or other functions in chloroplasts, and little is known about their specific roles in the perhaps 42 subunits of this complex in the mitochondrion.
DOE
Photosynthesis; Energy Transfer; Chromosomes; Chloroplasts; Mitochondria

19980209932 California Univ., San Diego, Dept. of Chemistry, La Jolla, CA USA
From the Primitive Soup to Cyanobacteria: It May have Taken Less Than 10 Million Years
Miller, Stanley L., California Univ., San Diego, USA; Lazcano, Antonio, Universidad Nacional Autonoma de Mexico, Mexico; Circumstellar Habitable Zones; 1996, pp. 393-404; In English
Contract(s)/Grant(s): NAGw-2881
Report No.(s): NASA/CR-1996-207632; NAS 1.26:207632; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Most scientific discussions on the likelihood of extraterrestrial life have been constrained by the characteristics of life on our planet and the environmental conditions under which it may have emerged. Although it has been generally assumed that this process must have been extremely slow, involving hundreds of millions or even billions of years, a number of recent discoveries have led to a considerable compression of the time believed necessary for life to appear. It is now recognized that during its early history the Earth and other bodies of the inner Solar System went through a stage of intense collisions. Some of these impacts by large asteroids or comets may have raised the terrestrial surface to sterilizing temperatures and may have evaporated the oceans and killed off life as late as 3.8 x 10(exp 9) years ago. However, there is also ample paleontological evidence derived from the 3.5 x 10(exp 9) year old Warrawoona sediments showing that only 300 million years after the period of intense impacts ended, our planet was populated by phototactic, stromatolite-forming microorganisms. Although these discoveries are now generally interpreted to imply that the origin and early evolution of life were rapid, no attempts have been made to estimate the actual time required for these processes to occur.
Derived from text
Biological Evolution; Comets; Collisions; Bacteria

19980210107 Oak Ridge National Lab., TN USA
An editing environment for DNA sequence analysis and annotation
Uberbacher, E. C., Oak Ridge National Lab., USA; Xu, Y., Oak Ridge National Lab., USA; Shah, M. B., Oak Ridge National Lab., USA; Olman, V., Oak Ridge National Lab., USA; Parang, M., Oak Ridge National Lab., USA; Mural, R., Oak Ridge National Lab., USA; [1998]; 9p; In English; 3rd; Biocomputing, 5 Jan. 1998, Kapalua, HI, USA
Contract(s)/Grant(s): DE-AC05-96OR-22464
Report No.(s): ORNL/CP-94756; CONF-980118; DE98-000574; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

This paper presents a computer system for analyzing and annotating large-scale genomic sequences. The core of the system is a multiple-gene structure identification program, which predicts the most probable gene structures based on the given evidence, including pattern recognition, EST and protein homology information. A graphics-based user interface provides an environment which allows the user to interactively control the evidence to be used in the gene identification process. to overcome the computational bottleneck in the database similarity search used in the gene identification process, the authors have developed an effective way to partition a database into a set of sub-databases of related sequences, and reduced the search problem on a large database

to a signature identification problem and a search problem on a much smaller sub-database. This reduces the number of sequences to be searched from N to O((radical)N) on average, and hence greatly reduces the search time, where N is the number of sequences in the original database. The system provides the user with the ability to facilitate and modify the analysis and modeling in real time.
DOE
Pattern Recognition; Deoxyribonucleic Acid; Proteins; Sequencing

19980210108 Oak Ridge National Lab., TN USA
Overview of PSB track on gene structure identification in large-scale genomic sequence
Uberbacher, E. C., Oak Ridge National Lab., USA; Xu, Y., Oak Ridge National Lab., USA; [1998]; 4p; In English; 3rd; Biocomputing, 5 Jan. 1998, Kapalua, HI, USA
Contract(s)/Grant(s): DE-AC05-96OR-22464
Report No.(s): ORNL/CP-94807; CONF-980118; DE98-000576; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

The recent funding of more than a dozen major genome centers to begin community-wide high-throughput sequencing of the human genome has created a significant new challenge for the computational analysis of DNA sequence and the prediction of gene structure and function. It has been estimated that on average from 1996 to 2003, approximately 2 million bases of newly finished DNA sequence will be produced every day and be made available on the Internet and in central databases. The finished (fully assembled) sequence generated each day will represent approximately 75 new genes (and their respective proteins), and many times this number will be represented in partially completed sequences. The information contained in these is of immeasurable value to medical research, biotechnology, the pharmaceutical industry and researchers in a host of fields ranging from microorganism metabolism, to structural biology, to bioremediation. Sequencing of microorganisms and other model organisms is also ramping up at a very rapid rate. The genomes for yeast and several microorganisms such as H. influenza have recently been fully sequenced, although the significance of many genes remains to be determined.
DOE
Biotechnology; Deoxyribonucleic Acid; Genes; Influenza; Microorganisms; Pharmacology; Proteins

19980210414 Los Alamos National Lab., NM USA
Applications of optical trapping to single molecule DNA
Sonek, G. J., California Univ., USA; Berns, M. W., California Univ., USA; Keller, R. A., Los Alamos National Lab., USA; [1997]; 6p; In English
Contract(s)/Grant(s): W-7405-ENG-36
Report No.(s): LA-UR-97-3253; DE98-001512; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Hardcopy, Microfiche

This is the final report of a three-year, Laboratory Directed Research and Development (LDRD) project at the Los Alamos National Laboratory (LANL). The project focused on the methodologies required to integrate optical trapping with single molecule detection (SMD) so as to demonstrate high speed sequencing through optical micromanipulation of host substrates, nucleotide cleavage, and single molecule detection. As part of this effort, the new technology of optical tweezers was applied to the confinement and manipulation of microsphere handles containing attached DNA fragments. The authors demonstrated substrate optical trapping in rapid flow streams, the fluorescence excitation and detection of fluorescently labeled nucleotides in an optical trapping system, and the epifluorescent imaging of DNA fragments in flow streams. They successfully demonstrated optical trapping in laminar flow streams and completely characterized the trapping process as functions of fluid flow velocity, chamber dimension, trapping depth, incident laser power, and fluorescence measurement geometry.
DOE
Molecular Biology; Deoxyribonucleic Acid; Microparticles; Nucleotides; Fluid Flow; Molecules; Laser Induced Fluorescence

19980210478 Medical Coll. of Wisconsin, Dept. of Cellular Biology and Anatomy, Milwaukee, WI USA
Development of a Deltoid Shoulder Muscle Model for Rhesus Monkey Spaceflight Studies *Final Report*
Riley, Danny A., Medical Coll. of Wisconsin, USA; Macias, Melissa Y., Medical Coll. of Wisconsin, USA; Anders, Scott, Medical Coll. of Wisconsin, USA; Slocum, Glenn R., Medical Coll. of Wisconsin, USA; 1995; 9p; In English
Contract(s)/Grant(s): NAG2-633; No Copyright; Avail: CASI; A02, Hardcopy; A01, Microfiche

The acromiodeltoid shoulder muscle was demonstrated to be a suitable model for spaceflight studies. The muscle contains a mixture of fast and slow fibers, permitting analysis of muscle fiber type specific changes. Two biopsy sites per muscle were identified that provided samples not degraded by the biopsy procedure. Both sites contained sufficient numbers fibers for deter-

mining changes in fiber type percentages and size. There was adequate bilateral symmetry regarding fiber type composition in the left and right muscles such that a total of four times points can be compared. The ESOP cage did not cause atrophy of deltoid muscle fibers; this means that microgravity-induced atrophy should be detectable. As expected, muscle excision stimulated muscle IgM and IgG muscle autoantibody production. Nonrestrained control animals suppressed this response whereas restrained monkeys showed an abnormally pronounced response indicative a compromised immune system. The presence of ESOP cage-induced changes in the immune response may mask spaceflight-induced effects. The ESOP cage modified the dominant hand operation of the PTS. These results demonstrate the importance of high fidelity ground based controls.
Author
Physiological Responses; Monkeys; Shoulders; Space Flight; Microgravity

19980210561 Argonne National Lab., IL USA
Third order nonlinear optical properties of stacked bacteriochlorophylls in bacterial photosynthetic light-harvesting proteins
Chen, L. X., Argonne National Lab., USA; Laible, P. D., Argonne National Lab., USA; Spano, F. C., Temple Univ., USA; Manas, E. S., Temple Univ., USA; [1997]; 7p; In English, 27 Jul. - 1 Aug. 1997, San Diego, CA, USA
Contract(s)/Grant(s): W-31109-ENG-38
Report No.(s): ANL/CHM/CP-94165; CONF-970706; DE97-054004; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

Enhancement of the nonresonant second order molecular hyperpolarizabilities gamma were observed in stacked macrocyclic molecular systems, previously in a (micro)-oxo silicon phthalocyanine (SiPcO) monomer, dimer and trimer series, and now in bacteriochlorophyll a (BChla) arrays of light harvesting (LH) proteins. Compared to monomeric BChla in a tetrahydrofuran (THF) solution, the <gamma for each macrocycle was enhanced in naturally occurring stacked macrocyclic molecular systems in the bacterial photosynthetic LH proteins where BChla's are arranged in tilted face-to-face arrays. In addition, the gamma enhancement is more significant in B875 of LH1 than in B850 in LH2. Theoretical modeling of the nonresonant gamma enhancement using simplified molecular orbitals for model SiPcO indicated that the energy level of the two photon state is crucial to the gamma enhancement when a two photon process is involved, whereas the charge transfer between the monomers is largely responsible when one photon near resonant process is involved. The calculated results can be extended to gamma enhancement in B875 and B850 arrays, suggesting that BChla in B875 are more strongly coupled than in B850. In addition, a 50--160 fold increase in <gamma for the S(sub 1) excited state of relative to S(sub 0) of bacteriochlorophyll in vivo was observed which provides an alternative method for probing excited state dynamics and a potential application for molecular switching.
DOE
Bacteria; Optical Properties; Photosynthesis; Proteins; Chlorophylls

19980210568 Argonne National Lab., IL USA
Changes in gene expression following EMF exposure
Woloschak, G. E., Argonne National Lab., USA; Paunesku, T., Argonne National Lab., USA; Chang–Liu, C. M., Argonne National Lab., USA; Loberg, L., IIT Research Inst., USA; Gauger, J., IIT Research Inst., USA; McCormick, D., IIT Research Inst., USA; [1997]; 5p; In English; 2nd; Electricity and Magnetism In Biology and Medicine, 8-13 Jun. 1997, Bologna, Italy
Contract(s)/Grant(s): W-31109-ENG-38
Report No.(s): ANL/CMB/CP-94239; CONF-9706201; DE97-054504; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

Experiments were designed to examine the effects of electromagnetic field (EMF) exposure on specific gene expression, an effect that can be deleterious, beneficial, or neutral, depending on the long-term consequences; however, the proof of a reproducible, quantitative biological effect (such as change in gene expression) will lead to latter experiments aimed at determining the relative contribution of these changes to cellular consequences. Past work by ourselves and by others has shown that measures of gene expression are extremely sensitive indicators of the cellular and biological effects of ionizing radiation, with transcriptional changes being detected by exposure of cells to doses of gamma-rays as low as 0.01 cGy that have no pronounced cellular consequences. On the basis of this work, the authors hypothesized that measures of gene expression will be equally sensitive to EMF effects on cells.
DOE
Gene Expression; Biological Effects; Electromagnetic Fields; Ionizing Radiation; Radiation Effects

52
AEROSPACE MEDICINE

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

19980206468 NASA Marshall Space Flight Center, Huntsville, AL USA
JSC Human Life Sciences Project
Life and Microgravity Spacelab (LMS); Feb. 1998, pp. 361-588; In English; Also announced as 19980206462; No Copyright; Avail: CASI; A11, Hardcopy; A06, Microfiche

This section of the Life and Microgravity Spacelab (LMS) publication includes articles entitled: (1) E029 - Magnetic Resonance Imaging after Exposure to Microgravity; (2) E030 - Extended Studies of Pulmonary Function in Weightlessness; (3) E074 - Direct Measurement of the Initial Bone Response to Spaceflight in Humans; (4) E401 - The Effects of Microgravity on Skeletal Muscle Contractile Properties; (5) E407 - Effects of Microgravity on the Biochemical and Bioenergetic Characteristics of Human Skeletal Muscle; (6) E410 - Torso Rotation Experiment; (7) E920 - Effect of Weightlessness on Human Single Muscle Fiber Function; (8) E948 - Human Sleep, Circadian Rhythms and Performance in Space; (9) E963 - Microgravity Effects on Standardized Cognitive Performance Measures; and (10) E971 - Measurement of Energy Expenditures During Spaceflight Using the Doubly Labeled Water Method
CASI
Weightlessness; Microgravity; Gravitational Effects; Aerospace Environments; Physiological Responses; Human Performance; Spaceborne Experiments; Spacecraft Environments

19980209692 Lawrence Livermore National Lab., Livermore, CA USA
Modeling of bubble dynamics in relation to medical applications
Amendt, P. A., Lawrence Livermore National Lab., USA; London, R. A., Lawrence Livermore National Lab., USA; Strauss, M., California Univ., USA; Mar. 12, 1997; 16p; In English, 8 - 14 Feb. 1997, San Jose, CA, USA; Sponsored by International Society for Optical Engineering, USA
Contract(s)/Grant(s): W-7405-ENG-48
Report No.(s): UCRL-JC-126961; CONF-970231-47; DE97-053416; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Hardcopy, Microfiche

In various pulsed-laser medical applications, strong stress transients can be generated in advance of vapor bubble formation. to better understand the evolution of stress transients and subsequent formation of vapor bubbles, two-dimensional simulations are presented in channel or cylindrical geometry with the LATIS (LAser TISsue) computer code. Differences with one-dimensional modeling are explored, and simulated experimental conditions for vapor bubble generation are presented and compared with data.
DOE
Two Dimensional Models; Laser Applications; Pulsed Lasers; Bubbles

19980209737 Air Force Inst. of Tech., Wright-Patterson AFB, OH USA
The Test-Retest Reliability of the USA Air Forces Submaximal Bicycle Ergometry Aerobic Fitness Test
Glenn, Frank A., Air Force Inst. of Tech., USA; May 19, 1998; 75p; In English
Report No.(s): AD-A344913; AFIT-98-016; No Copyright; Avail: CASI; A04, Hardcopy; A01, Microfiche

The ability to perform endurance work is dependent on aerobic metabolism. Maximal oxygen consumption (VO2 max) defines aerobic capacity and quantifies an individual's capability for aerobic resynthesis of adenosine triphosphate. VO2 max is the primary indicator of aerobic fitness, cardiovascular health, and endurance performance. When assessing aerobic capacity, a type of exercise must be chosen which involves a large group of muscles and be of sufficient intensity and duration to cause an adjustment in the cardio-respiratory system to the level of exercise. The typical exercise modes include treadmill running and walking, endurance runs and walks for time or distance, stationary cycling, arm cranking, bench stepping, and swimming. to determine aerobic capacity, a maximal test (direct measurement) or a submaximal test (estimation or prediction) is used to obtain a VO2 mx value.
DTIC
Physical Fitness; Cycles; Reliability; Armed Forces; Aerobes; Cardiovascular System; Physical Exercise

19980209818 Department of the Navy, Washington, DC USA
Automatic Medical Sign Monitor
Pugh, Jamie K., Inventor, Department of the Navy, USA; Sep. 30, 1997; 9p; In English

Patent Info.: Filed 3 Nov. 1995; US-Patent-Appl-SN-552818; US-Patent-5,671,734
Report No.(s): AD-D018818; No Copyright; Avail: US Patent and Trademark Office, Microfiche

An automatic medical monitor of the present invention comprises medical sign sensors for collecting a time-ordered set of values representative of medical signs such as pulse respiration. and blood pressure. The medical sign sensors are coupled to a medical sign data processor that forms statistics from the medical sign data and forms a modified Fast initial Response (FIR) Shewhart cumulative sum and a variance cumulative sum to detect changes in health state. When a change in health state is detected the medical sign data processor displays the statistics on a display and logs them on a printer.
DTIC
Medical Equipment; Data Processing Equipment; Blood Pressure; Medical Services

54
MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human engineering; biotechnology; and space suits and protective clothing. For related information see also 16 Space Transportation.

19980209724 Defence and Civil Inst. of Environmental Medicine, Downsview, Ontario Canada
A look at Behaviourism and Perceptual Control Theory in Interface Design
Chery, Sandra, Defence and Civil Inst. of Environmental Medicine, Canada; Farrell, Philip S. E., Defence and Civil Inst. of Environmental Medicine, Canada; Feb. 1998; 25p; In English
Report No.(s): AD-A345852; DCIEM-98-R-12; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Behaviourism and Perceptual Control Theory (PCT) were reviewed and their shortfalls, as well as their application to human machine interactions, were assessed. Behaviourism, which studies only observable behaviors and discards the purpose of actions, implies that given a stimulus, one can predict the response. The PCT framework introduces the requirement for a desired perceptual state which would then be compared to its perception. Behaviors would then result in an attempt to minimize the perceptual error when present. However, PCT's shortfall includes the inability to objectively measure internal variables. Behaviourism, on the other hand, can not account for variability in responses, instinctive drift, autoshaping, etc. Researchers have used behaviourism as a framework for human machine interactions concluding that compatibility between a stimulus and its response resulted in increased performance of the system. Other researchers have argued that the use of PCT in human machine interactions can explicitly show all the required feedback messages necessary for a stable and effective interaction between the human and the machine.
DTIC
Human Factors Engineering; Man Machine Systems; Performance Prediction; Perceptual Errors

19980209727 Defence and Civil Inst. of Environmental Medicine, Downsview, Ontario Canada
Water Entry Onto the MAC 200 Immersion Suit During Simulated Parachute Jump and Drag Trials
Ducharme, Michel B., Defence and Civil Inst. of Environmental Medicine, Canada; Thompson, John A., Defence and Civil Inst. of Environmental Medicine, Canada; Jan. 1998; 15p; In English
Report No.(s): AD-A345838; DCIEM-98-R-33; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The MAC 200 immersion suit newly developed by Mustang Survival (Richmond, B.C.) has recently been considered a potential replacement suit for the constant wear dry immersion suit currently used by Canadian Forces aircrew. The objective of the present evaluation trial was to evaluate the effectiveness of the new neck seal concept by measuring water leakage into the MAC 200 suit during a simulated parachute jump into water followed by a 15 s drag. Four male aircrew members volunteered to participate in the study. On Day 1 they jumped from the back of a boat (about 30 cm above the water) moving at a speed of 5 km . h-1 and were dragged for 15 sec. On Day 2, the aircrew jumped from a platform 3 m above water to simulate the speed of parachute entry and were immediately attached to a line and dragged behind a boat for 15 sec at a speed of 5 km/h. Before and after the jump/drag procedure the aircrew were weighed to estimate the amount of water leakage into the suit. The results showed that when the neck and wrist seals of the suit were closed properly before the entry into the water, no leakage was observed following the jump/drag procedure on both testing days.
DTIC
Parachutes; Protective Clothing; Water Immersion; Wettability

19980209728 Defence and Civil Inst. of Environmental Medicine, Downsview, Ontario Canada

Efficacy of Liquid, Air, and Phase Change Material Torso Cooling During Light Exercise While Wearing NBC Clothing

McLellan, Tom M., Defence and Civil Inst. of Environmental Medicine, Canada; Frim, John, Defence and Civil Inst. of Environmental Medicine, Canada; Mar. 1998; 36p; In English

Report No.(s): AD-A345833; DCIEM-98-R-36; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

This study compared the thermoregulatory responses with liquid, air and phase change material (PCM) torso cooling during light exercise at 40 C while wearing NBC protective clothing. The liquid-(LC) and air-cooling (AC) systems were powered from external portable chiller units. The PCM cooling vests, which were supplied by Microclimate Systems Incorporated, were worn under the NBC overgarment and were tested with a vertical (CVV) and horizontal (CVH) design. Seven males (29 yrs, 75.6 kg, 1.78 m) performed a no cooling (NC) and 4 cooling trials while walking at 3.5 km.h-1 on a treadmill in the environmental chamber. During the NC condition, tolerance times were 100 min and final core temperature was 39.1 C. For the PCM trials (CVV and CVH), tolerance times were extended by 30 min but core temperature still rose to reach values close to 39.0 deg C indicating that the cooling vests could only delay the exhaustion from the heat exposure. However, with both the LC and AC trials, all subjects completed 180 min of exercise and they could of continued longer given that their core temperatures were still below 38.0 C. The results have shown that the PCM cooling vests are of benefit for work tasks that continue between 1 to 2 hours but these vests are not as effective in reducing the heat strain of wearing NBC clothing in hot environments as liquid- or air-cooling systems.

DTIC

Protective Clothing; Thermoregulation; Air Cooling; Physical Exercise; Physiological Responses

19980210008 NASA Johnson Space Center, Houston, TX USA

Understanding Skill in EVA Mass Handling, Volume 3, Empirical Developments and Conclusions

Riccio, Gary E., Nascent Technologies, USA; McDonald, P. Vernon, Nascent Technologies, USA; Jul. 1998; 46p; In English

Contract(s)/Grant(s): RTOP 199-16-11-48

Report No.(s): NASA/TP-1998-3684/Vol-3; NAS 1.60:3684/Vol-3; S-827; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Key attributes of skilled mass handling were identified through an examination of lessons learned by the extravehicular activity operational community. These qualities were translated into measurable quantities. The operational validity of the ground-based investigation was improved by building a device that increased the degrees of freedom of extravehicular mobility unit motion on the Precision Air-Bearing Floor. The results revealed subtle patterns of interaction between motions of an orbital replacement unit mockup and mass handler that should be important for effective performance on orbit. The investigation also demonstrated that such patterns can be measured with a variety of common instruments and under imperfect conditions of observation.

Author

Extravehicular Activity; Extravehicular Mobility Units; Mass; Human Behavior

19980210109 Oak Ridge National Lab., TN USA

Beta reduction factors for protective clothing at the Oak Ridge National Laboratory

Franklin, G. L., Oak Ridge National Lab., USA; Gonzalez, P. L., Oak Ridge National Lab., USA; [1998]; 9p; In English, 8-11 Feb. 1998, Mobile, AL, USA

Contract(s)/Grant(s): DE-AC05-96OR-22464

Report No.(s): ORNL/CP-95027; CONF-980203; DE98-000896; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)), Microfiche

Beta reduction factors (f(sub (beta))) for protective clothing (PC) at the Oak Ridge National Laboratory (ORNL) have been determined for a variety of protective clothing combinations. Data was collected to determine the experimental f(sub (beta)) for several combinations of PCs under laboratory conditions. Radiation dose rates were measured with an open window Bicron(reg sign) RSO-5 ion chamber for two distinct beta energy groups (E(sub max) = 1.218 (times) 10(sup (minus)13) J(0.860 MeV) and 3.653 (times) 10(sup (minus)13) J (2.280 MeV)). Data points determined, as the ratio of unattenuated (no PCs) to attenuated (PCs), were used to derive a set of equations using the Microsoft(reg sign) Excel Linet function. Field comparison tests were then conducted to determine the validity of these beta reduction factors. The f(sub (beta)) from the field tests were significantly less than the experimental f(sub (beta)), indicating that these factors will yield conservative results.

DOE

Ionization Chambers; Protective Clothing

19980210354 IPROZ, Zagreb, Croatia

Work and Safety, March 1997 (Rad i Sigurnost) Chemical Abstracts, Health and Safety Science Abstracts

Dec. 1997; 134p; In English; In Croatian

Report No.(s): PB98-141633; No Copyright; Avail: Issuing Activity (Natl Technical Information Service (NTIS)); Abstracts, Microfiche

The paper presents the results of a sample survey of comprehensibility and recognizability of safety signs. Two groups of examinees were randomly chosen for the examinations. There were secondary school students aged 15-18 in the first group, and in the second group persons at the age of 40-50, with a greater life and work experience. The research has shown that the examinees recognized the majority of signs and their messages. In the group of warning signs a considerable number of messages made according to ISO standards and EEC guidelines were not recognized.

NTIS

Safety; Health; Surveys

19980210638 Nanomaterials Research Corp., Tucson, AZ USA

Intermediate-temperature electrolysis cells for oxygen production from carbon dioxide

Hu, H., Nanomaterials Research Corp., USA; Yadav, T., Nanomaterials Research Corp., USA; In Situ Resource Utilization (ISRU II) Technical Interchange Meeting; 1997, pp. 15; In English; Also announced as 19980210630; No Copyright; Avail: CASI; A01, Hardcopy; A01, Microfiche

In this project, Nanomaterials Research Corporation has sought to develop intermediate-temperature electrolysis cells based on YSZ electrolyte. The work has been focused on nano-engineering of the electrolyte-electrode interfaces in order to minimize interfacial overpotentials and total cell resistance at intermediate temperatures. A series of mixed ionic-electronic conducting (MIEC) metal-ceramic nano-composites have been studied as electrode materials for YSZ-based electrolysis cells. Impedance spectroscopy and dc measurement have been used for identifying highly catalytically active MIEC nano-composite electrode materials under oxygen pump conditions.

Derived from text

Electrolytic Cells; Liquid-Solid Interfaces; Interface Stability; Oxygen Production; Cermets; Nanostructures (Devices); Electrode Materials

19980210641 Ceramphysics, Inc., Westerville, OH USA

Oxygen extraction using a ceramic honeycomb technology

Lawless, W. N., Ceramphysics, Inc., USA; In Situ Resource Utilization (ISRU II) Technical Interchange Meeting; 1997, pp. 23; In English; Also announced as 19980210630; No Copyright; Avail: CASI; A01, Hardcopy; A01, Microfiche

The results of a NASA-supported study are reported to examine if a ceramic-honeycomb technology can contribute to producing oxygen from the Martian atmosphere. The honeycomb technology is based on a stabilized Bi2O3 ceramic composition and has been developed for extracting oxygen from air in the 500-600 C range.

Derived from text

Ceramic Honeycombs; Honeycomb Structures; Extraction; Oxygen Production; Mars Atmosphere; Extraterrestrial Resources

19980210642 NASA Kennedy Space Center, Cocoa Beach, FL USA

Oxygen liquefaction and zero-loss storage system

Lin, F. N., NASA Kennedy Space Center, USA; Bollo, T. R., NASA Kennedy Space Center, USA; Peterson, D. M., NASA Kennedy Space Center, USA; In Situ Resource Utilization (ISRU II) Technical Interchange Meeting; 1997, pp. 25-26; In English; Also announced as 19980210630; No Copyright; Avail: CASI; A01, Hardcopy; A01, Microfiche

This paper presents an alternative concept that employs existing technologies and off-the-shelf components to liquefy gaseous oxygen from an in-situ propellant production (ISPP) unit and to store the liquid oxygen without boil-off loss. A primary goal is to minimize active components with a secondary goal of designing the active component in a protected or failure-free environment. The resulting design requires only one active component, a compressor operating in a closed and consequently more protected system. The design avoids pumps as active components by employing cryopumping for gaseous oxygen (GOX) and gravity transfer for liquid oxygen (LOX).

Derived from text

Oxygen; Liquid Oxygen; Oxygen Production; Liquefaction; Propellant Storage; Liquid Rocket Propellants

19980210646 Old Dominion Univ., Norfolk, VA USA

Oxygen production and separation from Martian atmosphere by the radio-frequency discharge

Vuskovic, L., Old Dominion Univ., USA; Ash, R. L., Old Dominion Univ., USA; Popovic, S., Old Dominion Univ., USA; Dinh, T., Old Dominion Univ., USA; VanOrden, A., Old Dominion Univ., USA; In Situ Resource Utilization (ISRU II) Technical Interchange Meeting; 1997, pp. 33; In English; Also announced as 19980210630; Avail: CASI; A01, Hardcopy; A01, Microfiche

Included are the new results from the experiments on the radio-frequency discharge of Martian atmospheric gas and separation of oxygen from the gas mixture using a silver membrane. The discharge was generated at simulated conditions of the Martian surface atmosphere. Background gas pressure was 6 to 7 Torr. Gas mixture contained 95.7% CO2, 2.7% N2, and 1.6% Ar. Derived from text

Radio Frequency Discharge; Oxygen Production; Mars Atmosphere; Silver

Subject Term Index

T

W

Personal Author Index

Report Documentation Page

1. Report No.	2. Government Accession No.	3. Recipient's Catalog No.
NASA/SP—1998-7011/SUPPL474		

4. Title and Subtitle	5. Report Date
Aerospace Medicine and Biology A Continuing Bibliography (Supplement 474)	September 21, 1998
	6. Performing Organization Code

7. Author(s)	8. Performing Organization Report No.
	10. Work Unit No.
9. Performing Organization Name and Address	
NASA Scientific and Technical Information Program Office	11. Contract or Grant No.

12. Sponsoring Agency Name and Address	13. Type of Report and Period Covered
National Aeronautics and Space Administration Langley Research Center Hampton, VA 23681	Special Publication
	14. Sponsoring Agency Code

15. Supplementary Notes

16. Abstract

This report lists reports, articles and other documents recently announced in the NASA STI Database.

17. Key Words (Suggested by Author(s))	18. Distribution Statement
Aerospace Medicine Bibliographies Biological Effects	Unclassified – Unlimited Subject Category – 52

19. Security Classif. (of this report)	20. Security Classif. (of this page)	21. No. of Pages	22. Price
Unclassified	Unclassified	26	A03/HC

For sale by the NASA Center for AeroSpace Information, 7121 Standard Drive, Hanover, MD 21076-1320